



HANO INTERNATIONAL LIMITED

PRODUCT CATALOG

產品型錄

v.96-12

Hano International Limited

Tel: 0086-18934235941

Address: No. 32, 4th Floor, Building 10, Commercial
Building, East Side of Meiju Building Materials City,
Wugang Road, Chancheng District, Foshan City,
Guangdong Province, China

HANO INTERNATIONAL LIMITED

產品型錄

CONTENTS

WALKING AIDS

03-06

**WHEELCHAIRS &
ACCESSORIES**

08-22

BED UNITS

24-29

LIFTS

31-35

BATHROOM UNITS

37-41

Hano International Limited

Tel: 0086-18934235941

Address: No. 32, 4th Floor, Building 10, Commercial
Building, East Side of Meiju Building Materials City,
Wugang Road, Chancheng District, Foshan City,
Guangdong Province, China

HANO INTERNATIONAL LIMITED

產品型錄

WALKING AID
助行架

Hano International Limited

Tel: 0086-18934235941

Address: No. 32, 4th Floor, Building 10, Commercial
Building, East Side of Meiju Building Materials City,
Wugang Road, Chancheng District, Foshan City,
Guangdong Province, China

Walking Aid

**WALKING AID (D369-917B)**

Material: Aluminum 6063 T5 1.2mm
 QTY: 1pc/ctn
 Remark: 8-holes height adjustment
 Non slip rubber
 G.W: 3.5KGS
 N.W 3KGS

**WALKING AID (D253-049A)**

Material: 1.0MM Steel frame
 Size: L49-64*W60-68*H64-84cm
 Remark: 8-holes height adjustment
 Non slip rubber
 G.W: 2.85KGS
 N.W 2.65KGS

**WALKING AID (D369-543D)**

Material: Aluminum 6063 T5 1.2mm
 Size: L50*W36*H78-92cm
 Remark: 8-holes height adjustment
 Non slip rubber
 G.W: 3.7KGS
 N.W 3.4KGS

Walking Aid

**WALKING AID (D331-802T)**

Material: Aluminum 6063 1.2mm
 Size: L53*W48*H76-91cm
 QTY: 1pc/ctn
 Remark: 7-holes height adjustment
 Non slip rubber
 G.W: 3.0KGS
 N.W 2.6KGS

**WALKING AID (D259-009A)**

Material: Aluminum 6063 T5 1.2mm
 Size: L66*W51*H78-91cm
 QTY: 1pc/ctn
 Remark: 8-holes height adjustment non-slip rubber
 Non slip rubber

**WALKING AID (D332-51D1)**

Material: Aluminum 6063 1.2mm

Walking Aid



CV20065



CV20066



CV20067



CV20068



CV20071



CV20072



CV20073



CV20074

Walking Aid



CV19114



CV19115



CV19116



CV19117



CV19118



CV19119



CV19120



CV19121



CV19122



CV19123



CV19124

HANO INTERNATIONAL LIMITED

產品型錄

A photograph of a young woman with short dark hair, smiling warmly. She is seated in a wheelchair, with her hands resting on the handles. She is wearing a dark jacket over a light-colored collared shirt. The background is a blurred outdoor setting with a building and trees. The entire image has a blue color overlay.

WHEELCHAIRS & ACCESSORIES
輪椅與配件

Hano International Limited

Tel: 0086-18934235941

Address: No. 32, 4th Floor, Building 10, Commercial
Building, East Side of Meiju Building Materials City,
Wugang Road, Chancheng District, Foshan City,
Guangdong Province, China

Wheelchair

**ELECTRIC WHEELCHAIR:DW-605JX**

Material: Aluminum alloy

Driving range: 18-30km

Battery: 24V 12AH/20AH lithium battery

Loading Capacity: 100kg Speed:6KM/h

Back: Back angle is adjustable

Overall side: 980*600*950mm


Fold size: 800*600*400mm

Seat size: 445*460mm

Parking brake: Electromagnetic brake, flexible parking

N.W./G.W. : 27kg/32kg

Optional: Headrest

**ELECTRIC WHEELCHAIR:DW-6011**

Driving range: 15-20km

Battery: 12V 12AH/20AH*2pc

Loading Capacity: 100kg

Controller: Intelligent universal controller

Brake: fully automatic electromagnetic brake

Adjustable detachable across the feet

Fast separable battery box



Wheelchair

**ELECTRIC WHEELCHAIR:DW-605J**

Material: Aluminum alloy

Driving range: 18-30km

Battery: 24V 12AH/20AH lithium battery

Loading Capacity: 100kg

Speed: 6KM/h


Overall side: 980*600*950mm

Fold size: 800*600*400mm

Seat size: 445*460mm

Parking brake: Electromagnetic brake, flexible parking

N.W./G.W. : 27kg/32kg

**ELECTRIC WHEELCHAIR:DW-011**

Material: Aluminum alloy

Battery: 12V 12AH/20AH*2pc

Driving range: More than 20km

Motor: 250W*2pcs

Speed: 6KM/h

Controller: Intelligent universal controller



Wheelchair

**JOURNEY AIR ELITE LIGHTWEIGHT:DW-591JA**

Particulars	Specifications
Weight Capacity	240 lbs
Top Speed	2.8 mph
Drive Range	Up to 9.3 miles
Turning Radius	35.4"
Charging Time	6-8 hrs
Folds	Yes
Battery Type	Lithium-ion (24.2V 10Ah)
Total Weight	29 lbs (with battery)
Battery Weight	3 lbs
Overall Length	35.4"
Overall Width	22.8"
Overall Height	35.43"
Seat Dimensions	17.3" (W) x 15.7" (D)
Front Tires	6.5" Solid Tires
Rear Tires	10.5" Solid Tires
Climbing Angle	6°

Journey Air Elite Lightweight Folding Electric Wheelchair has a simple-to-use joystick and a powerful dual drive system that enables you to zip around quickly and safely. It is also one of the easiest chairs to maneuver inside a home as it fits easily through doorways and can go right up to a table or desk. It also features two brushless motors that work independently, enabling this agile chair to turn on the spot. It has flat-free tires and rear anti-tippers for added convenience and safety.

Wheelchair

**MANUAL WHEELCHAIR:M2398F45**

Material: Aluminum alloy

Design: Foldable and portable

Front wheel: 6-inch Rear wheel: 8-inch

Seat height/width: 46*47cm

Overall side: 87*58*92cm Fold size: 84*58*30cm

Packing size: 59*29*77cm

Load capacity: 100kg N.W./G.W. : 27kg/32kg

**MANUAL WHEELCHAIR:M23912F**

Material: Aluminum alloy

Design: Foldable and portable

Front wheel: 6-inch Rear wheel: 12-inch

Seat height/width: 47*40cm

Overall side: 90*53*93cm Fold size: 79*53*30cm

Packing Size: 53*31*83cm

Flip up armrest and foot support

Load capacity: 100kg N.W./G.W. : 10.5kg/11.5kg



Wheelchair

FEATHER MOBILITY LIGHTWEIGHT:DW-612JX

It is only 33 pounds without the batteries.

It has a driving range of 11 miles.

It has a joystick on the left side.

It has a 1-inch seat back cushion and padded armrests for comfort.

Seat depth of 16 in and a seat width of 18 in.

Feather Mobility Lightweight Folding Power Wheelchair created for both outdoor and indoor navigation. It has a folding design for easy transport and a top speed of 4 MPH. It has 35 inch turning radius, 19-inch seat-to-floor Height, 24-inch overall width, and 3-inch ground clearance. Its armrests also flip back for extra room to get in and out of the chair.

Wheelchair

**ELECTRIC WHEELCHAIR:DW-703**

Material: Aluminum alloy

Front wheel: 8-inch

Rear wheel: 12-inch

Seat height/width/depth: 39.5*35*43cm

Overall sizes: 105*59*90cm

Motor: 250W*2pcs

Fold size: 106*62.5*76.5

Climbing angle: 6"

Battery: 12V 12AH/20AH lithium battery

N.W./G.W. : 20kg/22kg

**ELECTRIC WHEELCHAIR:702LJ**

Material: Aluminum alloy

Front wheel: 7-inch


Seat height/width/depth: 44*43*43cm

Overall sizes: 105*59*90cm

Battery: 12V 12AH/20AH lithium battery

Motor: 250W

N.W./G.W. : 20kg/22kg



Wheelchair

**ELECTRIC WHEELCHAIR:DW-703LJ**

Material: Aluminum alloy

Front wheel: 7-inch

Rear wheel: 12-inch

Seat height/width/depth: 41*41*41cm

Overall sizes: 88*58*91.5cm

Motor: 24V 250W Brushless motor

Controller: DC Controller

N.W./G.W. : 20kg/22kg

**ELECTRIC WHEELCHAIR:703**

Material: Aluminum alloy

Front wheel: 7-inch Rear wheel: 10-inch

Seat height/width/depth: 52*42*41cm

Total size: 98*55*94cm

Capacity: 100kg Motor: 180W*2pcs

Driving Range: 12KM/h

N.W./G.W. : 14.5kg(without battery)/16kg(with battery)



Wheelchair

KARMAN HEALTHCARE MANUAL PUSH POWER:XO-101N**Features**

Weight capacity: 250lb

Frame: Silver

Particulars	XO-101N	XO-101
Seat Width	16"	18"
Seat Depth	18", 19", 20"	18", 19", 20"
Seat Height	20"	20"
Back Height	16" to 19"	16" to 19"
Overall Height	35" to 55-3/4"	35" to 55-3/4"
Overall Width	24-1/2"	26-1/2"
Overall Length	39-1/2"	39-1/2"
Armrest Height	9"	9"

Karman Healthcare Manual Push Power Assist Stand Wheelchair with its unique feature of putting the body in a standing position, provides users with better blood circulation, kidney and bladder functioning. It reduces muscle contracture and prevents pressure sores. It offers simple push button standing adjustment which allows greater comfort and flexibility.

Wheelchair

**ELECTRIC WHEELCHAIR:DW-710**

Material: Aluminum alloy

Front wheel: 7-inch

Rear wheel: 12-inch

Seat height/width/depth: 41*41*41cm

Overall sizes: 88*58*91.5cm

Motor: 24V 250W Brushless motor

Controller: DC Controller

N.W./G.W. : 20kg/22kg

**ELECTRIC WHEELCHAIR:702LJ**

Material: Aluminum alloy

Front wheel: 7-inch Rear wheel: 10-inch

Seat height/width/depth: 52*42*41cm

Total size: 98*55*94cm

Capacity: 100kg Motor: 180W*2pcs

Driving Range: 12KM/h

N.W./G.W. : 14.5kg(without battery)/16kg(with battery)



Wheelchair

ELECTRIC WHEELCHAIR (344JC-F3)

T-6 aircraft-grade aluminum frame

Flip-back padded armrests

SHARK II controller

Adjustable knee support, safety belt, chest support

Adjustable footrest height

Adjustable backrest height

2" to 3" memory foam cushion back and seat

Flat free front and rear wheels

14" high strength flat free rear tires

8" flat free front caster

Simple push button standing adjustment

See through sleek side panels

Battery: 12V/36AH x2pcs

Quick-release axles

•Motor: DC24V. 320W

Maximum Speed: 5 Mph (moving slowly is recommended while standing)

Range per charge: ~25 miles

Weight capacity: 250lb

Product Weight: 110lb (without batteries)

Karman Healthcare XO-202 Stand-Up Power Wheelchair offers superior in-home maneuverability as it is primarily designed for people who need help getting around indoors. By putting the body in a standing position, it provides users with better blood circulation, kidney, and bladder functioning, as well as muscle tone. It features a comfortable seat and back cushions, along with height and angle adjustable footrests.

Wheelchair Accessories

COMFORT ARM SUPPORT (Model No. 2002)

Three hardware mounting options

Available in 14", 17" and 22" lengths

Moldable option available in 22" length

Weight: 2.3 lbs.

**COMFORT WHEELCHAIR ARMREST WITH ROTATING BASE (Model No. 2632)**

Moldable arm for custom positioning

Swing-away rotating base for easy movement and transfers

Straps for securing arm can be easily adjusted or removed

Single armrest for left side

Measures 22.00 in. x 6.00 in. x 5.50 in.



Wheelchair Accessories

JAECO RANCHO MULTILINK MOBILE ARM SUPPORT (12627EC)



20" standard MultiLink arm will accommodate most clients

Longer 24" MultiLink

Bubble level and offset swivel

Arm only

A Forearm Support with Offset Swivel and Slide



JAECO TABLE MOUNT MOBILE ARM SUPPORT (75805EC)



Weight (lb): 0.65

Surfaces: 3"

Made for children through large adults.

Universal usage for left or right side.

Forearm Support and MultiLink arm sold separately.



Wheelchair Accessories

TILITE FLIP BACK TUBULAR ARMREST (AS1049XX)

Fits All Adult TiLite Chairs 2018 and Newer

Fits Metric TiLite Chairs

Tubular shape

Adjustable height

Color: black

ERGOREST ARTICULATING ARM REST (332-023)

Padded arm rest in two lengths: Small (5") and Large (8")

Standard Clamp included fits desktops 1" to 1.75" thick

Clamp end swivels 180°

Maximum load bearing capacity of 26 lbs.

Swivel arm adjusts 3 inches vertically

Wheelchair Accessories

WHEELCHAIR MOUNTED CONTOURED ARM SUPPORT (KIM-19020)



- Nylon-covered neoprene padding
- Velcro for easy removal and washing.
- Durable construction
- Adjustable height
- Color: black



ERGOREST ARM SUPPORT WITH LARGE CLAMP (342-711)



- 360-degree swivel
- Height adjustability
- Clamp size 34-64mm
- Padded forearm support
- Color: cream and black

Wheelchair Accessories

CIRCLE SPECIALTY KLIP LIGHTWEIGHT 4-WHEELED SEAT POSTERIOR (13993C)



Circle Specialty Klip Lightweight 4-Wheeled Seat Posterior Walker Bumper Guards are designed to enhance mobility, support, and posture. Offers individualized assistive support.

KARMAN HEALTHCARE COMPANION FIXED PUSH HANDLES (32995XC)



Karman Healthcare Companion Fixed Push Handles With Foldable Hand Grip has soft foam grips that allow caretakers or loved ones to grasp handles located at the rear of the chair, as you would find on a manual wheelchair.

HANO INTERNATIONAL LIMITED

產品型錄

BED UNITS

床位

Hano International Limited

Tel: 0086-18934235941

Address: No. 32, 4th Floor, Building 10, Commercial
Building, East Side of Meiju Building Materials City,
Wugang Road, Chancheng District, Foshan City,
Guangdong Province, China

Shower Beds

ELECTRIC SHOWER BED:ETB720



Hand controller, electric adjustment from 3° to 30°

Emergency switch


Bed surface: 304 stainless steel tube, base: ABS plastic

Filling: environment-friendly high-density EVA

Guardrail: both guardrails can be rotated 180°

Drainage: the bed body is slightly inclined as a whole

Casters: advance medical casters with silent brakes



MANUAL SHOWER BED:DWMOB1



Manual height adjustment with hand roller

Bed surface: 304 stainless steel tube

Base: painted carbon steel

Size: 1900mm*650mm*550mm-750mm

Load capacity: 150kg

Drainage: flip-type drain switch

Pillow: high tenacity PVC surface and high density EVA

Guardrail: both guardrails can be rotated 180°



Shower Beds

MANUAL SHOWER BED:DWMTB4



Power-assisted gas spring; manual adjustment 3° to 30°

Bed surface: 304 stainless steel tube


Bed tank: made of environmentally friendly kayak

Filling: environmental-friendly high density EVA

Guardrail: both guardrails can be rotated 180°

Drainage: the bed body is slightly inclined as a whole

Casters: medical universal wheels with silent brake



MANUAL SHOWER BED:DWMTB5



Power-assisted gas spring; manual adjustment 3° to 30°

Bed surface: 304 stainless steel tube

Bed tank: made of environmentally friendly kayak

Filling: environmental-friendly high density EVA

Resistant to high temperature/severe cold

Guardrail: both guardrails can be rotated 180°

Casters: medical universal wheels with silent brake



Shower Beds

MANUAL SHOWER BED:DS USG1200



Frame Width: 32.5i

Platform Height: 31i

Gurney Length: 77i

Rust Free Casters: No Easy Clean Casters: Yes

Padding: green water resistant pads

Drainage: the bed body is slightly inclined as a whole

Arm Rest: Dual drop/lift arm



MANUAL SHOWER BED:DWM90A



Folds to less than 42"

Ends go up and down in seconds

Holds up to 350 LBS

Slightly elevated headrest

Water-resistant foam pad with holes for drainage

Siderails lift up and lock for patient safety

No-rust, all-locking 5" Tente casters



Nursing Beds

PLATINUM EXPANDABLE BARIATRIC BED (205067XC)



Expandable Deck Bariatric Hospital Bed

1000 lbs safe working load

Gurney Length: 77i

Available w/ Central and Directional Locking

Underbed Light

Drainage: the bed body is slightly inclined as a whole

Arm Rest: Dual drop/lift arm



PLATINUM NS HOSPITAL BED (711067MF)



High impact quick release head and footboards

One hand release, dropdown side rails

Patient hand pendant

One Button CPR quick release head deck

600 LB. safe working load

Self-Leveling Motors; Battery backup

Underbed lighting



Nursing Beds

ADJUSTABLE HEIGHT BED, MOBILE (70014BE)



Integrated width and length extension

600 lb. weight capacity

Designed to meet IEC 60601-2-52 standards

Backlit hand pendant makes bed adjustments easier

Feature quick-release technology

Overall Bed Length: 85.5 in Height Range: 7 in-30 in

Weight: 240 lbs



(UCXT) ADJUSTABLE HEIGHT BED, MOBILE (11F0SG000)



5-function beds offer head and foot section

ComfortChair and AutoTransfer Height positioning

4 DC motor bed uses two fast-speed motors

Overall Bed Length: 85 1/2 in

Weight Capacity: 650 lb



Nursing Beds

PRIME PLUS BARIATRIC BED (F1399)



Easy-to-use Hand Pendant electrically controls

39" width w/integral expansion to 54"

1000 lbs. weight capacity

Backlit hand pendant makes bed adjustments easier

Optional Battery Backup for emergency

4 heavy duty Euro style roll at any height steer

Weight: 470 lbs.



MEDACURE® FULL ELECTRIC (4JYCN)



2 Function electric bed

Height Range: 18 in-27 in

Weight Capacity: 1000 lbs.

Overall Bed Length: 85 1/2 in

Includes emergency hand crank in case of power failure



HANO INTERNATIONAL LIMITED

產品型錄

A white Hano International patient transfer lift is positioned in a modern living room. The lift has a white frame with black handrails and a black seat. It is on wheels and has a control panel on the side. The background shows a white sofa, a potted plant, and a large window.

LIFTS

病患移位機

Hano International Limited

Tel: 0086-18934235941

Address: No. 32, 4th Floor, Building 10, Commercial
Building, East Side of Meiju Building Materials City,
Wugang Road, Chancheng District, Foshan City,
Guangdong Province, China

Stair Chair lift



STAIR CLIMBING CHAIR (X4122CC-02)

Two driving modes

Anti-tipping caster

4 key joystick controller

Bigger rear tires, strong stabilization

Battery: 24V



Jumbo Honeycomb Wheels



Folding Structure

STAIR CLIMBING CHAIR (X1233R-UC)

Two driving modes

Anti-tipping caster

4 key joystick controller

Folded size: 108*64*30cm

Battery: 24V



Stair Chair lift

STAIR CLIMBING CHAIR PLUS (EP6FP-NW)

Rear mounter stair climber

Adjustable thickened headrest

Folded size: 108*64*30cm

Total size: 56*100*99cm

Battery: 24V

**STAIR CLIMBING CHAIR (EA6G-TD)**

Adjustable head pad rest

Anti-tipping caster

Curved handrails

Product size: 92*53*140cm



Chair lift

EVACUATION CHAIR (EA9FP)



Special track structure

Adjustable thickened headrest

Folded size: 98*54*35cm

Total size: 98*54*80cm



ELECTRIC CLIMBING CHAIR (EANF-4C)

Two driving modes

Intelligent controller control

Supports variety of road conditions

Product size: 96*63*115cm

Battery: 24V/18A



Lift

RELIANT 350 SERIES SIT-TO-STAND LIFT (SQT461-3)



Low friction casters and wide push handle

Adjustable leg support features a soft pad

Wide, non-slip footplate creates a stable base for transfers

Electronic system includes two 24-volt batteries

Optional Battery Backup for emergency

Manual emergency lowering device

Weight Capacity: 350 lbs.



ARJO SARA PLUS LIFT (JED1001-CH)



Caster Type: Regular

Base Width Closed 25 7/10 in

Weight Capacity: 420 lb

Overall Bed Length: 85 1/2 in

Includes emergency hand crank in case of power failure

Lift

RIFTON E-PACER WITH DIGITAL SCALE (3GH33)



- Odometer makes it easy to record how far the user walks
- Retract down to 32" for compact storage
- Wide, non-slip footplate creates a stable base for transfers
- Base Width Closed 31 1/2 in; Open 51 3/4 in
- Power Source Battery
- Strong, stable frame
- Weight Capacity: 350 lbs.



ARJO SARA PLUS LIFT (JED1001-CH)



- Dual motors power the lift range and legs to open and close.
- Quick release battery eliminates down time.
- Battery can also be charged on board.
- Charger case stores the charger plug on the lift.
- Weight Capacity: 350 lb

HANO INTERNATIONAL LIMITED

產品型錄

BATHROOM UNITS

衛浴設備

Hano International Limited

Tel: 0086-18934235941

Address: No. 32, 4th Floor, Building 10, Commercial
Building, East Side of Meiju Building Materials City,
Wugang Road, Chancheng District, Foshan City,
Guangdong Province, China

Bathroom Units

DIRECT SUPPLY® COMMODE (5KA3C022)



Durable reinforced steel frame

Extra-wide snap-on platform seat

Easy-to-release arm mechanism

Color: Gray

Caster: No

Weight Capacity: 1000 lbs.



DELUXE STEEL DROP-ARM COMMODE (125PSKD-1)



Height range is 19-1/2" to 23-1/2"

Width is 17-1/2", inside width is 13-1/4"

Depth is 16-1/2"

Powder coated frame resists rust and dirt

Weight Capacity: 350 lb



Bathroom Units

DELUXE DROP-ARM COMMODE (V125KD-1)



Height-adjustable unit

Extra-wide snap-on platform seat

Width 24 in – Depth 16 1/2 in

Color: Gray

Caster: No

Weight Capacity: 300 lbs.



BARIATRIC TRANSFER BENCH, KNOCKED DOWN (C2025KD-1)



Tool-free assembly of back, legs and arm

A-frame provides additional stability

Width 26.5 in – Depth 16.5 in

Large, locking suction cups for added safety

Weight Capacity: 500 lb



Bathroom Units

COMBINATION PADDED TRANSFER (T2005KDC-1)



Combines transfer bench and commode

Tool-free assembly of back

No exposed hardware to injure patient

Color: Gray

Comfortable cushioned seat and backrest

Weight Capacity: 300 lbs.



MEDACURE® DROP ARM FOLDING COMMODE (DC400-EB)



Easy-to-assemble frame

Easy-to-release drop-arm mechanism

Durable plastic snap-on seat and lid

Includes a 6 qt. commode bucket

Weight Capacity: 300 lb



Bathroom Units

DIRECT SUPPLY® RECLINING SHOWER CHAIR (BSC600 RC-13)



Seat 26"W x 22"D

Reclined Length: 68-1/2i

No exposed hardware to injure patient

Padded Headrest Included

Comfortable cushioned seat and backrest

Weight Capacity: 600 lbs.



DIRECT SUPPLY® PREMIUM SHOWER CHAIR (DS-OF20P)



Width 21.75 in – Height 41 in

Seat Height - 23.5 in

Durable plastic snap-on seat and lid

Includes a 6 qt. commode bucket

Weight Capacity: 300 lb



Bathroom Units

DRIVE ALUMINUM REHAB SHOWER (NRS185007)

Floor-to-seat height can be adjusted up to 4" without tools

Adjustable overall height from 39" to 41"

Blue padded seat back and arms

Seat Dimensions: 18"W x 17"D

Overall Width Open: 22-25"

Weight Limit: 275 lbs.

**LUMEX DROP ARM VERSAMODE (6810AX7)**

Cushioned armrests enhance user comfort

Maximum Weight Capacity 300 lbs.

Width Between Arms 18 1/4"

Includes a 6 qt. commode bucket

5" rear swivel, locking casters



HANO INTERNATIONAL LIMITED

產品型錄



Hano International Limited

Tel: 0086-18934235941

Address: No. 32, 4th Floor, Building 10, Commercial
Building, East Side of Meiju Building Materials City,
Wugang Road, Chancheng District, Foshan City,
Guangdong Province, China